

SUNROOMS Myriad Sunrooms® Myriad Sunrooms® are designed including a fully integrated high performance window system to ensure your new sunroom has superior efficiency over typical sunrooms. ATATATATA **Uses of Sunrooms:** • Game Room • Exercise Room Spa Enclosure Play Room Entertainment Room Home Office Room for Pets Library



Myriad Sunrooms

Explore the Benefits of a Myriad Sunroom and revel in the amazing benefits of a beautifully designed, energy efficient Myriad Sunroom by NT Window. In many cases, Myriad Sunrooms can be installed in less time, with less cost and disruption than traditional 'stick built' additions and you will quickly realize all of the additional benefits you can enjoy.

Sunroom Color Options







Crème White

Almond

Sandstone





Cathedral







Integrated Electrical System

Each Myriad Sunroom offers homeowners a complete solution for their new living space. With our fully integrated electrical system, lighting and other electrical needs are met in a safe and effective way. Designed for a streamlined appearance, this system offers you the options you need without sacrificing style.

Exceptional Roof & Wall Panels

By design, the Myriad Enclosure roofing system is built to perform for the life of your home - exceeding the performance of other systems on the market. While the typical enclosure uses a .024 thick skin, Myriad uses a stronger more durable .028 inch thick system. That's 17% more than the industry standard.

High Performance Roof System

With our RadiancelQ™ system you get all the added benefits of a fully integrated system that forms the foundation for a high quality Sunroom experience - year over year. From skin to foam to lamination, the RadiancelQ™ system covers every aspect necessary for a high quality Sunroom constructed to withstand the test of time.

Insulated Walls & Roofing

In order to provide our customers with the very best in construction and insulation, our EPS is denser than what's typically available in similar products. The Myriad system is designed using 1high density EPS foam, 50% more per pound than the competition offers.



Stronger than the industry standard







A Warmer Edge is Standard. Super Spacer® Really Delivers.


Since the majority of a window is glass, it is extremely important to select windows that have glass systems sophisticated in design, yet perform effortlessly when installed in the home. All of our windows come standard with Super Spacer® giving you a warmer temperature at the edge of the glass which reduces condensation.

Finally Glass that Works for You. Suntuitive Self-Tinting Glass.

With our optional Suntuitive self-tinting glass, you can manage your home's changing needs for passive solar heat

gain, solar control and natural daylight transmittance. Enjoy more consistent, comfortable temperatures, reduced interior glare, more natural lighting and clear views of the outdoors every day of the year.






WINDOW PERFORMANCE COMBINATIONS

| Glass Package | Double Hung | Single Hung | Slider | Fixed | Casement |
|---|--------------|--------------|--------------|--------------|--------------|
| Dual Pane, Cardinal 366 with Argon U-Factor Solar Heat Gain Coefficient | 0.30 0.20 | 0.29 0.21 | 0.28 0.21 | 0.28 0.22 | 0.28 0.18 |
| Triple Pane, Double Cardinal 366 with Argon and Foam Filled U-Factor Solar Heat Gain Coefficient | 0.25 0.19 | 0.22 0.19 | 0.23 0.19 | 0.21 0.20 | 0.18 0.16 |
| Air Infiltration (cfm/ft²) | 0.09 | 0.03 | 0.11 | <0.01 | 0.01 |

The above values represent only the options shown above. Additional options or configurations may change the listed values. Values may change at anytime without notice, Please refer to www.nfrc.org for current values representing additional options or changes.



The warmer the glass, the darker the tint. The cooler the glass, the clearer the view.















Sliding Door Features

- Strong and durable Reinforced vertical stiles
- Double point locking system with keylock for added security
- Aluminum sill cover for extra durability and threshold protection
- Perfectly sloped sill drainage system
- Aluminum screen rail
- Tempered glass

Doggy Door

Your furry friends can move about freely if you have a doggy door in your new Myriad Sunroom.



Garden Door Features

- High performance Q-Lon weatherstripping
- Aluminum sill cover
- Thermally broken main frame with PVC panel system for optimal performance and strength
- Optional internal blinds available
- High performance warm edge glass system
- Rust proof, full length aluminum geared hinges

Glass Block Styles





Ω







Myriad Screen Room Features:

- 2 5/8" thick Wall System
- Heavy .050 Extruded Aluminum Frame Profiles
- Beautifully finished color matched Legacy Storm Door
- Powder coated finish colors: Crème White, Almond, Bronze
- 3" or 1 3/4" RadiancelQ Roof System
- Optional integrated electrical channels in the roof make it easy to place the lighting or fan of your choice
- Optional 5" Extruded Gutter System for superior rain runoff

Screen Room Color Options



Textured Woodgrain Options*




Mahogany Knotty Pine Dark Oak
*Not Available with Laminate Panels

Cathedral



Studio



Wall-Only







| ROOF SYSTEM | | | | |
|--|------------|--|--|--|
| Insulated Panels | Yes | | | |
| Thickness | 3", 1 3/4" | | | |
| Insulating R-Value @ 75F | 12.5 / 7.3 | | | |
| Interlocking Design for Increased Structural Performance | Yes | | | |
| Non-Directional Embossing | Yes | | | |
| Heavy (.028) Aluminum Skin | Yes | | | |
| Perform Guard Insect Treated | Yes | | | |
| 1.5 lb. EPS Density | Yes | | | |
| Integrated Electrical | Available | | | |
| Suitable for OSB / Shingle Applications | Yes | | | |
| Fits Most Common Gutter Systems | Yes | | | |

| WALL SYSTEM | | | | | |
|---|-----------|--|--|--|--|
| Thickness | 2 5/8" | | | | |
| RadiancelQ™ Technology | Yes | | | | |
| Water Resistant | Yes | | | | |
| Warp & Crack Resistant | Yes | | | | |
| Low Maintenance | Yes | | | | |
| Insulating R-Value @ 75F | 10.43 | | | | |
| 1.5 lb. EPS Density | Yes | | | | |
| High Impact PVC Skin (.040) w/ Pebble Texture | Available | | | | |
| Heavy .028 Aluminum Skin | Available | | | | |
| Maximum Wall Height | 10' | | | | |
| Non-Directional Embossing Pattern* | Yes | | | | |

^{*}Not available in Bronze color

High Performance Roof System

more than the industry standard.

From skin to foam to lamination, the Radiancel Q^{TM} system covers every aspect necessary for a high quality Enclosure constructed to withstand the test of time.



The Myriad system boasts

1.5 lb per cubic foot in high density EPS foam, 50% more per pound than the competition offers. More insulation means superior performance and added structural integrity.









NatureVue™ Screens

NatureVue screens are made from permanent glass yarn which has been proven to withstand the elements and maintain its overall durability, color and beauty.



NatureVue[™] Screen

Standard Fiberglass Screen

See More. Get More.

While Nature Vue is engineered to be undetectable from the center of a living room, it can be seen from a few feet away. This feature eliminates the risk of accidentally walking into the screen and makes Nature Vue a perfect choice for your screen enclosure. The Nature Vue benefits don't stop there. Not only is the Nature Vue screen system flame retardant, but it allows for more airflow and protects against pests more than traditional fiberglass screens. When selecting Nature Vue for your new enclosure, you'll enjoy all these benefits from the comfort of your new space.

NatureVue™ Benefits

- Excellent visibility from inside improves your view
- Improved light transmittance
- Better curb appeal when viewing the enclosure from the street
- Excellent insect protection due to 30% smaller openings than standard screens
- Improved airflow as a result of increased openness







Legacy Door Features:

- Heavy 3 1/4" X 1 3/8" extruded aluminum main frame
- Powder coated finish for a beautiful, long lasting finish
- Five heavy duty hinges on standard sizes
- Fully weatherstripped for draft protection
- Tempered safety glass for added protection

HANDLE SELECTION



GLASS OPTIONS





Myriad FROM NT WINDOW®





Enhanced strength over the competition

Exceptional Roof & Wall Panels

While the typical enclosure uses a .024 thick skin, Myriad systems use a stronger more durable .028 inch thick system. That's 17% more than the industry standard.



The Myriad system boasts

1.5 lb per cubic foot in high density EPS foam, 50% more per pound than the competition offers. More insulation means superior performance and added structural integrity.



Extruded is Better

Our optional 5" Extruded Gutter System is designed for durability even during heavy rains and storms. It complements existing gutter styles and accepts most aftermarket gutter guards. Wider than the standard 4" gutter our system allows for better flow away from the home.



High Performance Roof System

From skin to foam to lamination, the RadiancelQ™ system covers every aspect necessary for a high quality Cover constructed to withstand the test of time



Integrated Electrical System

With our fully integrated electrical system for the roof, lighting and other electrical needs are met in a safe and effective way. Designed for a streamlined appearance, this system offers you the options you need without sacrificing style.



18







Patio Cover Features

- Heavy extruded aluminum design for ultimate structural performance
- Powdercoat finish for long term enjoyment with no maintenance
- 4", 3" or 1 3/4" RadiancelQ™ insulated roof system for best protection
- Factory milled post and beam joints create a finished look
- 4" x 4" .070 Extruded Aluminum Post with beveled edge design
- 2" x 6" .070 Extruded Aluminum Beam with beveled edge design
- Optional Integrated electrical channel in roof design allows for lighting and fan options of your choice
- Optional 5" Extruded gutter system for optimal performance and protection for your created space

Patio Cover Color Options







See The Difference.



Typical Patio Covers are non insulated and use a thin "W" pan roof system

VS.

Thicker. Stronger.



Our Patio Covers are insulated and are built to perform.









Arbor Features

- Heavy Extruded Aluminum design for ultimate structural performance
- Powdercoat finish for long term enjoyment with no maintenance
- 4" x 4" .070 Extruded Aluminum Post with beveled edge design
- 2" x 6" .070 Extruded Aluminum Beam with beveled edge design
- 2" x 2" .056 Extruded Aluminum lattice design
- Exclusive Powdercoated textured woodgrain available

Arbor Color Options



Almond Crème White

Textured Woodgrain Options







Mahogany Knotty Pine

Dark Oak

MAINTENANCE FREE

No staining. No painting. No wood rot.



2"x6" Extruded beam with Corbel decorative end cap for added beauty and durability



Factory processed integrated post and beam system ensures structural integrity and increased durability


| SHADING PERCENTAGE PER UNIT AREA | | | | | | |
|----------------------------------|--------------|-----|-----|--|--|--|
| LATTICE | BEAM SPACING | | | | | |
| SPACING | 18" | 24" | 30″ | | | |
| 4" | 61% | 58% | 57% | | | |
| 8″ | 36% | 33% | 32% | | | |
| 12" | 28% | 25% | 23% | | | |

Choose the amount of light or shade you prefer



Myriad®

FROM NT WINDOW®





Visit ntwindow.com/myphotos to see how to submit your photos.



www.ntwindow.com