

FOLDING SYSTEMS

DEALER SELECT





FOLDING PANEL OPTIONS



S.51
ALUMINUM



TS.60
ALUMINUM
THERMALLY BROKEN



S.74
ALUMINUM/
WOOD CLAD



TS.75
ALUMINUM/WOOD CLAD
THERMALLY BROKEN

FINISH:

2 wood species available for interior wood finish: Douglas Fir and Pine.

Single Tone with 4 Powder Coat Colors (*Clear Anodized Effect, Tech White, Black Anodized Effect, and Dark Bronze*) and 2 Anodized Colors (*Clear and Dark Bronze*).

WOOD




Pine



Douglas Fir

ANODIZED




Clear Anodized




Dark Bronze
Anodized

STANDARD POWDER COAT



Dark Bronze



Black Anodized
Effect



Tech White



Clear Anodized
Effect

GLASS:

1" overall profile with tempered, untinted glass. We offer 2 low energy options: Cardinal 270 or Cardinal 366 (*Upcharge*), as well as an Argon Option (*Upcharge*). The spacer bar comes in silver (3/16", 5/8", and 3/16").

HARDWARE:

We have several handle options for our folding doors. Our Panda 100/200 and Panda V handles can be powder coated to match the system. We also offer our Acacia and Summit Handle with 5 finishes available: *Black, White, Bronze, Brushed Chrome, and Satin Chrome*. Deadbolt (thumb turn interior and a key exterior) available in *Silver or Dark Bronze* and the door hinge is powder coated to match the system. Comes with our 3-Point Locking Mechanism.



Panda 100



Panda 200



Panda V



Acacia



Summit

FEATURES AND BENEFITS

- Child-safety features, including multiple layers of pinch-proof EPDM bubble gaskets between each panel.
- Thermally broken options available to reduce heat or cold transfer through the system panels
- Daily doors (aka swing, egress, or flag doors) can be integrated into the system, allowing for easy entry and exit without having to open the entire system.
- The state-of-the-art design allows you to customize your home with either an in-swing or out-swing configuration.
- Concealed throw-pins in the top and bottom tracks create a secure locking mechanism, fortifying your home from forced entry.
- Our proprietary 6063-T6 aluminum extrusions are a prime example of why Panda systems are more durable and reliable than our competitors', even with everyday use.

Also known as bi-fold systems, our Dealer Select Folding Door Systems are a popular choice for maximizing openings (up to 90%) without the need for pocketed areas. Featuring a top-hung design, the system panels slide and stack perpendicular against one or both of the opening jambs similar to an accordion or z-fold motion.

APPLICATIONS AND USES

Innovative engineering, contemporary design, and functional ease-of-use make the Folding Door System a popular choice for both commercial and residential projects.

8' TALL

TRACK/DIMENSION OPTIONS

PANEL SIZE: 34" W X 90 3/8" H

3/4" SURFACE MOUNT



CONFIGURATION	ROUGH OPENING	UNIT SIZE
2-Panel	75 1/16"W x 96"H	74 1/16"W x 95"H
3-Panel Left/Right	110 13/16"W x 96"H	109 13/16"W x 95"H
3-Panel 2L-1R/1L-2R	112 9/16"W x 96"H	111 9/16"W x 95"H
4-Panel Left/Right	144 1/8"W x 96"H	143 1/8"W x 95"H
4-Panel Bi-Parting	144 5/8"W x 96"H	143 5/8"W x 95"H
4-Panel 3L-1R/1L-3R	145 3/8"W x 96"H	144 3/8"W x 95"H
5-Panel Left/Right	179 7/8"W x 96"H	178 7/8"W x 95"H
5-Panel 2L-3R/3L-2R	181 5/8"W x 96"H	180 5/8"W x 95"H
5-Panel 4L-1R/1L-4R	181 5/8"W x 96"H	180 5/8"W x 95"H
6-Panels Left/Right	213 3/16"W x 96"H	212 3/16"W x 95"H
6-Panels Bi-Parting	214 7/16"W x 96"H	213 7/16"W x 95"H
6-Panels 4L-2R/2L-4R	213 11/16"W x 96"H	212 11/16"W x 95"H
6-Panels 5L-1R/1L-5R	214 7/16"W x 96"H	213 7/16"W x 95"H

3/4" RECESSED TRACK



CONFIGURATION	ROUGH OPENING	UNIT SIZE
2-Panel	75 1/16"W x 96 1/2"H	74 1/16"W x 95"H
3-Panel Left/Right	110 13/16"W x 96 1/2"H	109 13/16"W x 95"H
3-Panel 2L-1R/1L-2R	112 9/16"W x 96 1/2"H	111 9/16"W x 95"H
4-Panel Left/Right	144 1/8"W x 96 1/2"H	143 1/8"W x 95"H
4-Panel Bi-Parting	144 5/8"W x 96 1/2"H	143 5/8"W x 95"H
4-Panel 3L-1R/1L-3R	145 3/8"W x 96 1/2"H	144 3/8"W x 95"H
5-Panel Left/Right	179 7/8"W x 96 1/2"H	178 7/8"W x 95"H
5-Panel 2L-3R/3L-2R	181 5/8"W x 96 1/2"H	180 5/8"W x 95"H
5-Panel 4L-1R/1L-4R	181 5/8"W x 96 1/2"H	180 5/8"W x 95"H
6-Panels Left/Right	213 3/16"W x 96 1/2"H	212 3/16"W x 95"H
6-Panels Bi-Parting	214 7/16"W x 96 1/2"H	213 7/16"W x 95"H
6-Panels 4L-2R/2L-4R	213 11/16"W x 96 1/2"H	212 11/16"W x 95"H
6-Panels 5L-1R/1L-5R	214 7/16"W x 96 1/2"H	213 7/16"W x 95"H

2 3/16" SURFACE MOUNT



CONFIGURATION	ROUGH OPENING	UNIT SIZE
2-Panel	75 1/16"W x 96 9/16"H	74 1/16"W x 95 9/16"H
3-Panel Left/Right	110 13/16"W x 96 9/16"H	109 13/16"W x 95 9/16"H
3-Panel 2L-1R/1L-2R	112 9/16"W x 96 9/16"H	111 9/16"W x 95 9/16"H
4-Panel Left/Right	144 1/8"W x 96 9/16"H	143 1/8"W x 95 9/16"H
4-Panel Bi-Parting	144 5/8"W x 96 9/16"H	143 5/8"W x 95 9/16"H
4-Panel 3L-1R/1L-3R	145 3/8"W x 96 9/16"H	144 3/8"W x 95 9/16"H
5-Panel Left/Right	179 7/8"W x 96 9/16"H	178 7/8"W x 95 9/16"H
5-Panel 2L-3R/3L-2R	181 5/8"W x 96 9/16"H	180 5/8"W x 95 9/16"H
5-Panel 4L-1R/1L-4R	181 5/8"W x 96 9/16"H	180 5/8"W x 95 9/16"H
6-Panels Left/Right	213 3/16"W x 96 9/16"H	212 3/16"W x 95 9/16"H
6-Panels Bi-Parting	214 7/16"W x 96 9/16"H	213 7/16"W x 95 9/16"H
6-Panels 4L-2R/2L-4R	213 11/16"W x 96"H	212 11/16"W x 95 9/16"H
6-Panels 5L-1R/1L-5R	214 7/16"W x 96"H	213 7/16"W x 95 9/16"H

1 1/2" RECESSED DRAINAGE



CONFIGURATION	ROUGH OPENING	UNIT SIZE
2-Panel	75 1/16"W x 97 1/4"H	74 1/16"W x 95 3/4"H
3-Panel Left/Right	110 13/16"W x 97 1/4"H	109 13/16"W x 95 3/4"H
3-Panel 2L-1R/1L-2R	112 9/16"W x 97 1/4"H	111 9/16"W x 95 3/4"H
4-Panel Left/Right	144 1/8"W x 97 1/4"H	143 1/8"W x 95 3/4"H
4-Panel Bi-Parting	144 5/8"W x 97 1/4"H	143 5/8"W x 95 3/4"H
4-Panel 3L-1R/1L-3R	145 3/8"W x 97 1/4"H	144 3/8"W x 95 3/4"H
5-Panel Left/Right	179 7/8"W x 97 1/4"H	178 7/8"W x 95 3/4"H
5-Panel 2L-3R/3L-2R	181 5/8"W x 97 1/4"H	180 5/8"W x 95 3/4"H
5-Panel 4L-1R/1L-4R	181 5/8"W x 97 1/4"H	180 5/8"W x 95 3/4"H
6-Panels Left/Right	213 3/16"W x 97 1/4"H	212 3/16"W x 95 3/4"H
6-Panels Bi-Parting	214 7/16"W x 97 1/4"H	213 7/16"W x 95 3/4"H
6-Panels 4L-2R/2L-4R	213 11/16"W x 97 1/4"H	212 11/16"W x 95 3/4"H
6-Panels 5L-1R/1L-5R	214 7/16"W x 97 1/4"H	213 7/16"W x 95 3/4"H

10' TALL

TRACK/DIMENSION OPTIONS

PANEL SIZE: 34" W X 114 29/32" H

3/4" SURFACE MOUNT



CONFIGURATION	ROUGH OPENING	UNIT SIZE
2-Panel	75 1/16"W x 120 1/2"H	74 1/16"W x 119 1/2"H
3-Panel Left/Right	110 13/16"W x 120 1/2"H	109 13/16"W x 119 1/2"H
3-Panel 2L-1R/1L-2R	112 9/16"W x 120 1/2"H	111 9/16"W x 119 1/2"H
4-Panel Left/Right	144 1/8"W x 120 1/2"H	143 1/8"W x 119 1/2"H
4-Panel Bi-Parting	144 5/8"W x 120 1/2"H	143 5/8"W x 119 1/2"H
4-Panel 3L-1R/1L-3R	145 3/8"W x 120 1/2"H	144 3/8"W x 119 1/2"H
5-Panel Left/Right	179 7/8"W x 120 1/2"H	178 7/8"W x 119 1/2"H
5-Panel 2L-3R/3L-2R	181 5/8"W x 120 1/2"H	180 5/8"W x 119 1/2"H
5-Panel 4L-1R/1L-4R	181 5/8"W x 120 1/2"H	180 5/8"W x 119 1/2"H
6-Panels Left/Right	213 3/16"W x 120 1/2"H	212 3/16"W x 119 1/2"H
6-Panels Bi-Parting	214 7/16"W x 120 1/2"H	213 7/16"W x 119 1/2"H
6-Panels 4L-2R/2L-4R	213 11/16"W x 120 1/2"H	212 11/16"W x 119 1/2"H
6-Panels 5L-1R/1L-5R	214 7/16"W x 120 1/2"H	213 7/16"W x 119 1/2"H

3/4" RECESSED TRACK



CONFIGURATION	ROUGH OPENING	UNIT SIZE
2-Panel	75 1/16"W x 121"H	74 1/16"W x 119 1/2"H
3-Panel Left/Right	110 13/16"W x 121"H	109 13/16"W x 119 1/2"H
3-Panel 2L-1R/1L-2R	112 9/16"W x 121"H	111 9/16"W x 119 1/2"H
4-Panel Left/Right	144 1/8"W x 121"H	143 1/8"W x 119 1/2"H
4-Panel Bi-Parting	144 5/8"W x 121"H	143 5/8"W x 119 1/2"H
4-Panel 3L-1R/1L-3R	145 3/8"W x 121"H	144 3/8"W x 119 1/2"H
5-Panel Left/Right	179 7/8"W x 121"H	178 7/8"W x 119 1/2"H
5-Panel 2L-3R/3L-2R	181 5/8"W x 121"H	180 5/8"W x 119 1/2"H
5-Panel 4L-1R/1L-4R	181 5/8"W x 121"H	180 5/8"W x 119 1/2"H
6-Panels Left/Right	213 3/16"W x 121"H	212 3/16"W x 119 1/2"H
6-Panels Bi-Parting	214 7/16"W x 121"H	213 7/16"W x 119 1/2"H
6-Panels 4L-2R/2L-4R	213 11/16"W x 121"H	212 11/16"W x 119 1/2"H
6-Panels 5L-1R/1L-5R	214 7/16"W x 121"H	213 7/16"W x 119 1/2"H

2 3/16" SURFACE MOUNT



CONFIGURATION	ROUGH OPENING	UNIT SIZE
2-Panel	75 1/16"W x 121"H	74 1/16"W x 120"H
3-Panel Left/Right	110 13/16"W x 121"H	109 13/16"W x 120"H
3-Panel 2L-1R/1L-2R	112 9/16"W x 121"H	111 9/16"W x 120"H
4-Panel Left/Right	144 1/8"W x 121"H	143 1/8"W x 120"H
4-Panel Bi-Parting	144 5/8"W x 121"H	143 5/8"W x 120"H
4-Panel 3L-1R/1L-3R	145 3/8"W x 121"H	144 3/8"W x 120"H
5-Panel Left/Right	179 7/8"W x 121"H	178 7/8"W x 120"H
5-Panel 2L-3R/3L-2R	181 5/8"W x 121"H	180 5/8"W x 120"H
5-Panel 4L-1R/1L-4R	181 5/8"W x 121"H	180 5/8"W x 120"H
6-Panels Left/Right	213 3/16"W x 121"H	212 3/16"W x 120"H
6-Panels Bi-Parting	214 7/16"W x 121"H	213 7/16"W x 120"H
6-Panels 4L-2R/2L-4R	213 11/16"W x 121"H	212 11/16"W x 120"H
6-Panels 5L-1R/1L-5R	214 7/16"W x 121"H	213 7/16"W x 120"H

1 1/2" RECESSED DRAINAGE




CONFIGURATION	ROUGH OPENING	UNIT SIZE
2-Panel	75 1/16"W x 121 3/4"H	74 1/16"W x 120 1/4"H
3-Panel Left/Right	110 13/16"W x 121 3/4"H	109 13/16"W x 120 1/4"H
3-Panel 2L-1R/1L-2R	112 9/16"W x 121 3/4"H	111 9/16"W x 120 1/4"H
4-Panel Left/Right	144 1/8"W x 121 3/4"H	143 1/8"W x 120 1/4"H
4-Panel Bi-Parting	144 5/8"W x 121 3/4"H	143 5/8"W x 120 1/4"H
4-Panel 3L-1R/1L-3R	145 3/8"W x 121 3/4"H	144 3/8"W x 120 1/4"H
5-Panel Left/Right	179 7/8"W x 121 3/4"H	178 7/8"W x 120 1/4"H
5-Panel 2L-3R/3L-2R	181 5/8"W x 121 3/4"H	180 5/8"W x 120 1/4"H
5-Panel 4L-1R/1L-4R	181 5/8"W x 121 3/4"H	180 5/8"W x 120 1/4"H
6-Panels Left/Right	213 3/16"W x 121 3/4"H	212 3/16"W x 120 1/4"H
6-Panels Bi-Parting	214 7/16"W x 121 3/4"H	213 7/16"W x 120 1/4"H
6-Panels 4L-2R/2L-4R	213 11/16"W x 121 3/4"H	212 11/16"W x 120 1/4"H
6-Panels 5L-1R/1L-5R	214 7/16"W x 121 3/4"H	213 7/16"W x 120 1/4"H

CONFIGURATION OPTIONS

2 PANEL CONFIGURATIONS



3 PANEL CONFIGURATIONS



4 PANEL CONFIGURATIONS



5 PANEL CONFIGURATIONS



6 PANEL CONFIGURATIONS

